Book Reviews

Lars THUNEBERG :

Interstitial Cells of Cajal: Intestinal Pacemaker Cells?

Advances in Anatomy, Embryology and Cell Biology. Vol. 71

Springer-Verlag, Berlin-Heidelberg-New York, 1982

24.2×16.5 cm, 130 pages with 94 figures

DM 54.—

The interstitial cell of CAJAL, which is intercalated between the nerve termination and the smooth muscle cell in the intestine, represents without doubt one of the most enigmatic cells in the body. Since its discovery by CAJAL (1893), the history of the study of this cell has been romantic. CAJAL, as a neurohistologist, was impressed by the neuron-like shape and stainability of the cell and regarded it as a primitive terminal neuron. KEITH (1914–16), the British physiologist who discovered the sinoatrial node of the heart, conceived that the cell might be an undifferentiated, special type of smooth muscle cell, representing an analogue to the cardiac pacemaker. The Dutch anatomist BOEKE (1949) wrote that the cell, intercalated between the nervous endformation and the effector cell, must be “of primary importance for the transferring and the remoulding of the nervous stimulus. “FEYRTER (1950–52), the Austrian pathologist and endocrinologist, regarded the cell as a secretory cell of mesenchymal origin.

This book gives a comprehensive review of the above mentioned literature and that of the other numerous researchers who have dealt with the interstitial cell. The author, a researcher at the Anatomy Department of University of Copenhagen, also presents his own result obtained from his light and electron microscope studies using the

intestine of the mouse. He demonstrates beautifully the whole mount view of the interstitial cells and the adjacent elements, the synaptic structures in nerves supplying the interstitial cell and those in the interstitial cell juxtaposed to a muscle fiber, and periodical contraction patterns (“contraction waves”) in muscle fibers which he conceives to reflect excitatory influence from the interstitial cell.

The author, after reviewing the literature, especially the electrophysiological data relating to the location of slowwave generating cells in the gut, and describing his own study, is strongly inclined to the view that the interstitial cell is a regulatory cell in neural transmission to the circular muscle layer of the gut and represents a pace maker cell of the intestinal musculature.

This volume is an indispensable reference source for anatomists and physiologists interested in the autonomic nervous system and intestinal musculature. Moreover, this book will inspire readers interested in the romance of this cell which has been discovered and named by the great CAJAL, has attracted the attention of distinguished scientists, and has given rise to various significant concepts, has nevertheless remained ignored by the authors of textbooks of histology and physiology.

Tsunao FUJITA (Niigata)

Julia M. POLAK and Susan Van NOORDEN (editors):

Immunocytochemistry. Practical Applications in Pathology and Biology

John Wright and Sons Ltd, Bristol-London-Boston, 1983

23.4×15.6 cm, 400 pages with 157 figures

£ 25.00, ¥ 8,820

This handy volume has been edited by two female immunocytochemists who have most energetical-

ly promoted studies of those peptides which have recently been revealed to be shared by cerebral

and other neurons and gastro-entero-pancreatic endocrine cells. This book, however, is devoted not only to these "brain-gut peptides," but also to a variety of substances which have attracted the interest of current researchers.

In the preface a short history of immunocytochemistry is given by introducing, with good photographs, four scholars who created and developed the field of immunocytochemistry: Albert H. COONS (the originator of immunological topography), Paul K. NAKANE (immunoenzymatic methods), Ludwig A. STERNBERGER (peroxidase-antiperoxidase technique) and Cesar MILSTEIN (monoclonal antibodies).

The volume comprises 20 chapters. The first chapter is an introductory article by L. A. STERNBERGER giving an overview of the trends of the immunocytochemical approach to biomedical research, especially brain research. The second chapter is a practical guide to the modern techniques of immunocytochemistry prepared by the editors. Two chapters, then, are devoted to the practical and theoretical aspects of raising antibodies for immunocytochemistry. Three other chapters are reserved for specific techniques: semithin frozen sections, colloidal gold probes and double immunoenzymatic labeling. The remaining 13 chapters deal with special problems, selected either according to the substances, such as lectins and biogenic monoamines, or the tissues

and cells to be examined. Thus, the current state of studies to localize the brain-gut peptides, pituitary hormones, intracellular filaments and lymphocytic immune agents are introduced. The approaches to the study of cultured cells and neoplasms are also dealt with. Chapters on immunocytochemistry in dermatology, in nephrology and in the diagnosis of autoimmune diseases and endocrine disorders close the volume.

Well selected photographs, some in color, as well as clear diagrams serve to assist the reader. The lists of literature at the ends of each chapter are useful.

This volume, a well-balanced treatise of theoretical principles, practical methods and new findings, will obviously be a favored guidebook and source of information on immunocytochemistry. Probably as a result of editorial policy, techniques at the electron microscopic level are quite lightly treated in this volume. However, this reviewer does not consider this a defect, as this editorial principle has produced such a concise volume with admirably consistent contents, and as light microscope level techniques overwhelm the electron microscope level ones in immunocytochemical studies, especially in the pathological diagnosis which seems to be the main target of this volume.

Tsuneo FUJITA (Niigata)

D. L. KNOOK and E. WISSE (editors): Sinusoidal Liver Cells

Elsevier Biomedical Press, Amsterdam-New York-Oxford, 1982
23.5×16.8 cm, 584 pages
US\$ 93.50, Dfl. 220.—

In 1977, the first Kupffer Cell Symposium was held in Noordwijkerhout (the Netherlands) organized by Drs. E. WISSE and D. L. KNOOK, and the proceedings were published in the same year by Elsevier/North-Holland. Last year (1982) a second symposium was held at the same place and by the same organizers, and the proceedings of the papers presented in that symposium are now available as a neatly bound volume.

During the five years between the two symposia, "impressive advances have been made in our understanding of the sinusoidal cells: not only of Kupffer cells but especially also of specific

functions of endothelial and fat-storing cells" (cited from the preface). This volume accurately and comprehensively demonstrates these advances.

The volume contains 78 chapters. Possibly reflecting the distribution of researchers in this field, the contributors of these chapters are mainly from the Netherlands, other European countries and Japan. Only a few are from the U. S. A.

The fat-storing cell of Ito is dealt with in 10 or more chapters. An excellent introductory paper by WAKE on the history and present-day status of the study of this cell, initially recorded by von

KUPFFER as Sternzelle and now known as vitamin A uptake cell, is followed by papers dealing with different aspects of this cell as studied by transmission and scanning electron microscopy as well as by chemical techniques. The studies by KNOOK and LEEUW and by YUMOTO, isolating the cells and characterizing the contents of the lipid granules are highly appreciated.

The endothelial cell is dealt with only in 2 chapters, and the pit cell, only in one article from Japan. Researchers in the Netherlands are encouraged to further the study of the enigmatic constituent of the sinusoid discovered by WISSE, one of the editors of this volume. The Kupffer cell is treated in about 50 chapters. The nature of this cell as a kind of macrophage, independent

from the endothelial cell has been agreed by all the participants of the symposium but its origin, whether blood monocytic or in situ mesenchymal, or if both are involved, which is predominant, is disputed (WISSE and VAN FURTH). The relations between receptors and phagocytotic activity have been investigated by many of the authors using chemical and morphological techniques.

This volume is indispensable for all researchers into the liver and RES. It will also prove quite useful for teachers of histology by providing them with the most up-to-date knowledge of the sinusoidal elements which are one of the most important and interesting parts in the protective system of our body.

Tsuneo FUJITA (Niigata)

Frederick G. ZAK and William LAWSON:
The Paraganglionic Chemoreceptor System. Physiology, Pathology,
and Clinical Medicine

Springer-Verlag, New York-Heidelberg-Berlin, 1982
27.5 × 20.0 cm, 583 pages with 225 illustrations
DM 348.—, ¥ 52,200

This voluminous monograph deals with the carotid body and related structures with reference to their normal morphology, physiology and pathology, especially to their tumors. The volume opens with a chapter on the history of the carotid body. Since its discovery in the 18th century, there have been several concepts proposed which are useful in understanding the nature of the carotid body: the concepts of paraganglion, chemoreceptor and glomus as well as the recent views of APUD series and paraneurons. The implications of these concepts are concisely and chronologically explained in this chapter.

The second chapter describes the anatomy and topography of the carotid body, including related structures throughout the whole body, such as aortic bodies, temporal bodies, laryngeal bodies, bronchial and pulmonary bodies, abdominal bodies and some others. The following six chapters concentrate on describing the general histology, histochemistry and embryology of those organs, mainly of the carotid body at the light and electron microscopic levels. Readers will learn, through these chapters, that the application of the electron microscope, histochemical methods, especially of the formaldehyde-induced fluores-

cence technique and the recent immunohistochemical methods for neuropeptides to the morphological study of these structures has expanded our knowledge enormously which was originally obtained with ordinary light microscopic stainings and silver-impregnations. Furthermore, the application of these recent methodologies has caused new controversies about the nature of these organs, which still remains to be elucidated.

The physico-pharmacological and pathophysiological features of the chemoreceptor in the carotid body are presented in the eighth through tenth chapters, and various theories regarding the mechanism of the chemoreception are discussed in detail.

All of these chapters summarized above comprise the first half of this volume, with the second half consisting of twelve chapters dealing with a comprehensive description of tumors derived from the carotid body and related structures. Each of the twelve chapters is provided for the description of different tumors according to their site of origin, and presents a wealth of information regarding the clinical features, histology, including fine structures, diagnosis, treatments and prognosis.

In summary, this monograph, covering wide aspects of the carotid body and related structures from basic scientific to clinical viewpoints, would attract attention of and be welcomed by researchers and lecturers in various biomedical fields who are interested in these minute, but un-

expectedly complicated structures. More than 80 pages are provided listing references which would serve as a useful bibliographic source relating to this subject.

Hisatake KONDO (Niigata)

Yasuo HARADA :
Atlas of the Ear by Scanning Electron Microscopy

MTP Press Ltd., Lancaster-Boston-The Hague, 1983
26.4 × 19.0 cm, 231 pages
£ 29.00, ¥ 14,970

Although not very thick, this volume is a systematic and comprehensive atlas of scanning electron microscopy of the normal and pathological ear. As far as the author is aware, this is the first book of this kind which covers the morphology of all portions of the middle and inner ear. Yet, admirably, this work has been achieved by the effort of a single person. The author, Dr. Y. HARADA is professor and chairman of otorhinolaryngology at the University of Hiroshima Medical School. In addition to his clinical activities, he has long been engaged in physiological and morphological studies of the inner ear. Since 1970 he has applied scanning electron microscopes intensively to his morphological studies, and this volume is a collection of his results.

The carefully prepared and systematically arranged electron micrographs prove the refined technique, extensive knowledge and, above all, the industry and endeavor of the author in accomplishing this work.

Although some of the scanning electron micrographs may compare unfavorably in their sharpness with those produced with the present-day high resolution electron microscopes (which the author used in his recent observations), this is of no great significance in this publication. The author has kept to the best attainable level in his micrographs at each stage of the instrumental

development of scanning electron microscopy.

In this atlas the author endeavors not only to show the surface structures, but also the "morphology beneath the surface" such as nerves in the inner ear by providing adequately fractured aspects of the tissue. A valuable part of this atlas is the chapter dealing with the pathological and experimentally induced changes in the middle and inner ear. The reader will appreciate the dramatic changes in the inner ear sensory hairs and otoconia induced by streptomycin and some other agents.

The observations by scanning electron microscopy are supplemented with data from other methodologies, such as the electrophysiological results showing the polarity of hair cells, the reconstruction from light microscopic specimens of the whole population of hair cells in different sensory areas of the ear, the X-ray microanalysis of otoconia, and the India ink injection preparation of cochlear vascularization. Instructive diagrams assist readers' comprehension. For each subject, a concise text is given to explain the principle of the structure to be demonstrated and its function, followed by a small list of carefully selected references.

The printing and binding are excellent.

Tsuneo FUJITA (Niigata)

Andrew W. ROGERS :

Cells and Tissues. An Introduction to Histology and Cell Biology

Academic Press, London-New York-Paris-etc., 1983

26.4 × 19.4 cm, 256 pages

£ 12.20, \$ 23.—

This book, which may be categorized as an amply illustrated textbook rather than an atlas, has a unique character. The author seems to have dealt with his favorite subjects without much consideration to the systems of cells and tissues.

Some of the hot topics of modern cytology, such as the fine structures and functions of cell membranes and their specializations, the cellular bases of immunity, and the contraction mechanisms of muscular and non-muscular cells, are dealt with carefully and successfully. On the other hand, many important tissues and mechanisms in the organism are totally neglected. A chapter entitled "A look at tubes" contains descriptions—quite superficial ones—of the urogenital and digestive tracts together with blood vessels. The endocrine tissues are treated in only two pages (two illustrations) in a chapter, "Communication systems." It seems inappropriate for the author to mix up steroid hormones and aminic and pep-

tide hormones when he discusses the speed of hormonal communication. The lung, one of the most important organs of the body is completely omitted.

Regrettably, this principle of the book is not pointed out in the preface, which gives the impression that the book covers all the important cells and tissues. Providing that the reader is aware of this limitation, this book is recommended for biomedical students and young researchers, who will without doubt enjoy learning new doctrines and confirming their knowledge as the text is fresh and concise and the illustrations beautiful.

The light and electron micrographs are mostly excellent in quality and the diagrammatic illustrations, though not numerous, are elegant in style and highly instructive in contents.

Tsuneo FUJITA (Niigata)