Current Topics

D-Amino Acid Biosystem

Foreword

Hiroshi HOMMA

School of Pharmaceutical Sciences, Kitasato University; 5-9-1 Shirokane, Minato-ku, Tokyo 108-8641, Japan.

Various functions of amino acids in the organisms have been believed to be performed only by L-isomers, not by D-forms, and the peptidoglycan in bacteria, which contains D-amino acid was considered an exceptional case. However, the recent progress and improvement in the technique of optical resolution discloses the occurrence of a variety of D-amino acids in microorganisms, plants and higher animals. The physiological function and pathological significance of these D-amino acids have been investigated, and now are widely being recognized. In other words, there is a prominent and significant "D-Amino Acid Biosystem" in the organisms, which has been overlooked and not been realized ever. Studies on D-amino acids are now considered as one of new paradigms in research field of amino acids and proteins.

Remarkable progress is made in the studies on free forms of D-amino acids, such as D-serine in the mammalian central nervous system, D-aspartate in the mammalian endocrine organs, D-alanine and D-aspartate in aquatic animals. In this "Current Topics," a review is submitted by Nishikawa, whose group discovered D-serine for the first time in the mammalian tissue. It is a neuromodulator of NMDA receptor, a subtype of glutamate receptor, and is presumably involved in the higher nervous activity such as the learning and memory. Recent studies suggest its participation in the schizophrenia, and a trial of the therapy for the disease with D-serine analog has been reported.

The tissue contents and localization of free D-aspartate in the mammalian body change markedly during development, and free D-aspartate is now considered to be involved in the regulation of hormonal synthesis and secretion in the neuroendocrine and endocrine organs. A review on D-aspartate is submitted by Furuchi and Homma in this "Current Topics."

Free D-alanine is found in a high concentration in the aquatic animals. It functions as one of the osmolytes which are responsible for intracellular isoosmotic regulation in the crustaceans and some bivalve mollusks. Abe *et al.* describe on the gene cloning of alanine racemase and D-amino acid

oxidase, a synthetic and a degradative enzyme, respectively, and discussed on the physiological role(s) of D-amino acids in the aquatic animals.

The development and improvement of analytical technique is still revealing a variety of D-amino acids in various organisms. Hamase *et al.* describe on the development of highly sensitive methods of D-amino acids, and on the results on D-alanine, D-leucine *etc.* with mutant mice deficient in D-amino acid oxidase. In addition to these topics, intensive studies are being carried out on free D-serine in the arthropods, free D-aspartate in the aquatic animals and several metabolic enzymes specific to D-amino acids. However, it is unfortunate that there is no more space to allow publication among these feature articles.

D-Amino acid residues (and isomerized amino acid residues) are also found in proteins besides free forms of D-amino acids. In the article by Fujii, careful studies carried out by her group are written on the characterization and identification of D-iso-aspartate residue(s) in human lens and skin. Many reports are also summarized on a variety of D-amino acid residues in various proteins, and it can be considered as a molecular marker of ageing.

Formation of Iso-aspartate residues is increased in β -amyloid peptides (A β) in Alzheimer's disease. This residue(s) is supposed to be involved in the aggregation and deposition of A β . Shirasawa *et al.* generated deficient mice in the enzyme which repairs this iso-aspartate residue. The mice accumulate iso-aspartate residues in their tissues and express epileptic seizures which eventually limit their survival to 12 weeks of age. Shimizu *et al.* describe on their studies on the deficient mice, and discuss on the pathological significance of iso-aspartate residue and its repair enzyme.

This organizer sincerely hopes that these reviews will help the readers to realize "D-Amino Acid Biosystem" in the organisms, which has been disregarded ever, but has distinct physiological and pathological significance.