Erratum to: Creep of experimental short fiber-reinforced composite resin

Sufyan GAROUSHI^{1,2}, Muhammad KALEEM³, Akikazu SHINYA^{1,4}, Pekka K.VALLITTU¹, Julian D. SATTERTHWAITE⁵, David C. WATTS⁵ and Lippo V. J. LASSILA¹

Erratum to: *Dental Materials Journal* 2012; 31(5): 737–741

doi:10.4012/dmj.2011-247 JOI JST.JSTAGE/dmj/2011-247

Authors would like to correct the affiliation of second author.
The author list should be corrected as follows.

¹ *Department of Biomaterials Science and BioCity Turku Biomaterials Research Program, Institute of Dentistry, University of Turku, Lemminkäisenkatu 2, FI-20520 Turku, Finland*

² *Department of Restorative Dentistry & Periodontology, Institute of Dentistry, Libyan International Medical University, Benghazi, Libya*

³ *Science of Dental Materials, Army Medical College, National University of Science and Technology, Rawal Pindi, Pakistan*

⁴ *Department of Crown and Bridge, School of Life Dentistry at Tokyo, The Nippon Dental University, 1-9-20 Fujimi, Chiyoda-ku, Tokyo 102-8159, Japan*

⁵ *Biomaterials Research Group, School of Dentistry, The University of Manchester, Higher Cambridge Street, Manchester M15 6FH, UK*