Plenary Lectures

Plenary 1

Rubber industry in Japan

Tadanobu Nagumo

President

*The Japan Rubber Manufacturers Association,
1-5-26 Motoakasaka Minato-ku, Tokyo, Japan 107-0051
Phone + 81-3-3408-7101, Fax + 81-3-3408-7106
e-mail: soumu@jrma.gr.jp*

Mr. Nagumo was born in 1947. He entered into The Yokohama Rubber Co., Ltd. in 1969 after graduation from Shinshu University, a national university in Japan. He received Bachelor of Engineering from the university. In the first 20 years of his carrier at Yokohama Rubber, he gained his experience as a tire structural and performance engineer for the passenger car tires including the original equipment tires, and also manager in tire research and development organizations. Then, he was transferred to Shinshiro plant in Japan as a manager.

He has led Yokohama Rubber as the top management since 2004. He established 12 years medium-term management plan “GD100” in 2006, and has shown strong leadership for the growth of the company. Prior to the current position, his management carrier in the company is as follows;

Management carrier history

March 2016; Chairman and Representative Member of the Board
June 2011; Chairman and CEO and Representative Director
June 2004; President and Representative Director
June 2003; Senior Managing Director, President of Tire Group
June 2002; Managing Director, Head of Tire Production Division and Head of Tire Business Planning Division
November 2000; Director, Head of Tire Production Division
June 1999; Director, Acting Head of Tire Production Division
July 1996; President of Yokohama Tire Philippines, Inc.
May 1994; Deputy Head of Shinshiro Plant
April 1969; joined in The Yokohama Rubber Co., Ltd.

Other main titles

Outside Director of Zeon Corporation
Outside Director of Kanagawa Chuo Kotsu Co., Ltd.
Chairman of The Japan Rubber Manufacturers Association

Abstract

The Japan Rubber Manufacturers Association (JRMA) aims to contribute to the healthy development of the national economy and the daily lives of the Japanese people through its efforts to promote the healthy development of Japan's rubber industry. These efforts include conducting surveys and research on production, distribution, consumption and other trends in the rubber industry, as well as surveys and research on a wide range of issues facing the rubber industry, including technology, labor, the environment, safety, and standardization, which the JRMA then uses to draw up and promote the implementation of related action plans. The JRMA consists of 121 members and associate members. Members include corporations that are engaged in the development and manufacture of rubber products. Associate members are corporations or institutions that support the activities of the JRMA. In this report, we present the current state of the Japanese and global rubber industries and then introduce the key challenges facing Japan's rubber industry today and efforts addressing those challenges. This report also discusses the need for technology innovation for the future.

1. Introduction

The Japan Rubber Manufacturers Association (JRMA) aims to contribute to the healthy development of the national economy and the daily lives

of the Japanese people through its efforts to promote the healthy development of Japan's rubber industry. These efforts include conducting surveys and research on production, distribution, consumption and other trends in the rubber industry, as well as surveys and research on a wide range of issues facing the rubber industry, including technology, labor, the environment, safety, and standardization, which the JRMA then uses to draw up and promote the implementation of related action plans. The JRMA consists of 121 members and associate members. Members include corporations that are engaged in the development and manufacture of rubber products. Associate members are corporations or institutions that support the activities of the JRMA.

In this report, we present the current state of the Japanese and global rubber industries and then introduce the key challenges facing Japan's rubber industry today and efforts addressing those challenges. This report also discusses the need for technology innovation for the future.

2. Current state of the rubber industry

According to statistics compiled by the International Rubber Study Group (IRSG)^[1], global rubber consumption is on an upward trend, as shown in Figure 1, and demand for rubber is expected to continue increasing in the future. The recent trend in rubber consumption in major consuming nations is shown in Figure 2, which graphs the growth rate for rubber consumption in each nation indexed against the 2010 level. The graph indicates that rubber consumption has expanded sharply in China, Thailand, Indonesia and Malaysia while growth in the United States has been flat. Rubber consumption has also been expanding in India but has fallen in Japan. The graph thus shows that rubber consumption is increasing on a global basis, but that growth rates vary from nation to nation. Meanwhile, trade statistics compiled by Japan's Ministry of Finance show Japan's exports of rubber products (Figure 3) have been on a flat growth trend in recent years while Japan's rubber product imports (Figure 4) have been expanding. Many Asian nations, such as China, Thailand, Indonesia, Vietnam, and Malaysia, are among the major exporters of rubber products to Japan. The recent decline in Japan's rubber consumption can be attributed to this growth in imports of rubber products from these Asian nations as well as to falling domestic demand caused by demographic factors, including a declining birth rate and aging population. However, rubber product imports from Asian countries include reverse imports of products made by overseas subsidiaries of Japanese companies. In other words, the increase in Japan's rubber imports can be considered a result of the globalization of Japanese companies. This globalization trend can be seen at many companies in nations around the world. Today, companies' activities are impacting not just their own nation's economies and environments but also the global economy and environment. Considering this situation, the JRMA has broadened the focus of its activities from Japan to the healthy development of the rubber industry with due consideration for the global economy and environment.

Fig.1 Global rubber consumption trend.

Sauce: IRSG, Rubber Statistical Bulletin 2016 April-June.

Fig.2 Rate of variation in rubber consumption of each country based on 2010.

Sauce: IRSG, Rubber Statistical Bulletin 2016 April-June.

Fig.3 Export value and growth rate of rubber products.
Based on the trade statistics of Ministry of Finance.

Fig.4 Import value and growth rate of rubber products.
Based on the trade statistics of Ministry of Finance.

3. Challenges facing Japan's rubber industry and JRMA's responses

3.1 Global warming

In the 1970s, scientific advances in understanding the Earth's atmospheric mechanism led to an increasing awareness of global warming as a serious problem. Global warming is thought to be due to the reduction in heat dissipation from the atmosphere caused by an increase in greenhouse gases, including carbon dioxide (CO₂). Figure 5^[2] graphs the relation between the increase in CO₂ emissions and the rise in the Earth's mean surface temperature. According to the data presented in Figure 5, the worst trend in the increase of CO₂ emissions will result in a 4.8°C rise in the Earth's mean surface temperature from 1880 to 2100. The melting of glaciers and Antarctic ice caused by global warming is said to have elevated the sea level by about 19 cm over the past 110 years or so^[3]. In addition, the increased frequency of floods, droughts and other extreme climatic conditions is leading to water shortages, ecological imbalances, food shortages, human health crises and other phenomena that are considered to be a danger to the continued existence of human beings. The rubber industry recognizes the reduction of CO₂ emissions as an urgent priority, and JRMA is undertaking a variety of initiatives aimed at reducing CO₂ emissions per unit of output by 15% of 2005 levels Fby 2020. To date, Japan's rubber industry has reduced its emissions per unit of output by 9.4% through various measures, including increased use of cogeneration facilities, energy conversion, and the implementation of energy-saving measures. In addition, companies are placing greater emphasis on developing energy-efficient products that reduce energy consumption. A good example is the fuel-efficient tire, which has helped lower the energy required to propel vehicles by reducing the rolling resistance of the tire. Curtailing rubber's energy loss has proven an effective means for reducing the rolling resistance of the tire. The fuel-efficient tires of recent years mostly use tread rubber that consists of a silica/rubber compound, which has led to the development of modified polymer for use in silica and dispersing agents that further reduce energy loss. In addition to tires, the development of products that save energy by reducing rubber's energy loss includes conveyor belts and transmission belts. Japanese companies are manufacturing and marketing these energy-saving products overseas as well as in Japan, thereby promoting their use around the world. Japanese companies also are promoting overseas transfers of energy-saving technologies, such as the earlier mentioned cogeneration facilities, contributing to the reduction of CO₂ emissions per unit of output at overseas production plants. Some companies also conduct activities to better the local environment, such as tree planting. The JRMA is actively promoting and supporting the international activities of Japanese companies that contribute to the prevention of global warming.

3.2 Residual capacity of the industrial waste disposal sites

Industrial development is accompanied by an increase in industrial waste, making disposal of that waste a major challenge for industrialized and industrializing nations. Japan's economic growth led to a sharp reduction in the residual capacity of existing industrial waste disposal sites. In the 1990s, that residual capacity was said to be only about 2–3 years. The need to reduce the final disposal volume of industrial waste and create a recycling-based society consequently became a major issue in Japan. Japanese industry as a whole rose up to meet this challenge, and as a result the residual capacity of the nation's waste disposal sites has increased to more than 13 years since 2009. The Japanese rubber industry's promotion of volume reduction, resource recycling, and appropriate disposal have greatly reduced the volume of waste generated by rubber product manufacturing plants, as shown in Figure 6. As a result, the volume of waste requiring final disposal in 2014 was 97.3% less than in 2001. This huge reduction in final disposal waste volume has contributed to the sharp increase in residual years of waste disposal capacity at disposal sites in Japan.

Fig.5^[2] Global mean surface temperature increase as a function of cumulative total global CO₂ emissions from various lines of evidence.

Fig.6 Trend of Final disposal amount of waste.

Fig.7 Emission amount trend of 17 VOC substances.

3.3 Concentration of suspended particulate matter in the atmospheric environment

Suspended particulate matter (SPM) refers to fine particles floating in the atmosphere with particle size of 10 μm or less. SPM includes soot, dust, mist, and aerosols. The particle size of particulate matter other than that created by combustion is generally larger than 10 μm . Environmental air-quality standards in Japan for SPM set the maximum daily average hourly value at 0.10 mg/m^3 and the maximum simple hourly value at 0.20 mg/m^3 . Although SPM concentrations in Japan are declining, measurement stations in some areas continue to show readings that do not meet the standards, indicating that further improvement is needed. To further reduce SPM in the atmosphere, the JRMA is making an effort to reduce emissions of volatile organic compounds (VOCs). Through such measures as the aqueous reduction and conversion of solvents discharged from the rubber product manufacturing plants, the introduction of recovery equipment, and the reduction of solvent usage, Japan's rubber industry reduced its VOC emissions by 64.4% from 2000 through 2014, helping to reduce SPM in the air. (Figure 7)

4. Development of innovative technologies

4.1 Evolution of analysis technologies

Constant innovation is essential to the production of world-class products. While endeavoring to resolve the problems mentioned above, the rubber industry must also continue its efforts for technological innovation to ensure the sustainability of its ability to manufacture rubber products. Many rubber products are now made from compounds that include nanoparticles, such as carbon black and silica, as reinforcing agents. It is well known that different dispersion structures of these nanoparticles included in rubber compounds will give rise to differences in the performance of rubber products^[4]. Product performance is also affected by the structure of rubber bound with nanoparticles and by the amount of bound rubber. When the rubber product is deformed by external force, that force is transmitted to the nanoparticles through the rubber molecules, resulting in a change in the dispersion of the nanoparticles. The manner in which the dispersion is changed affects reinforcement of the rubber and energy loss. Consequently, a control technique that controls the internal structure of the rubber at the nano level is being sought. In recent years, synchrotron radiation has become a popular technique for the analysis of rubber's internal structure. Extremely bright X-rays generated from a radiation light source enable measurements in extremely short units of time, making it possible to observe changes in the dispersion state of nanoparticles during the rubber deformation process in real time. This new measurement technique has made it possible to understand the behavior of nanoparticles inside rubber. Simulations using molecular dynamics and other techniques are now being examined as methods to visualize the movement of rubber molecules as well as the nanoparticles. The introduction of large mainframe computers has facilitated large-scale computations, enabling calculations using a model that contains multiple nanoparticles, such as shown in Figure 8. This enables the calculation of rubber properties during exposures to various changes in nanoparticle dispersion as well as the bond between the nanoparticles and rubber. It is thought that performing a variety of tests on a computer could lead to the creation of rubber products with new functions, raising expectations for the full-fledged introduction of this technology into the product design stage. Such simulations not only reduce the development steps required when running desktop calculations but, perhaps even more importantly, enable us to observe what previously could not be seen. The insights gained by this higher degree of visualization greatly increase the possibility of new innovations in product design. For example, tire simulations are attempting to visualize air flows and the resulting sound emitted from rolling tires (Figure 9^[5]). The evolution of such analysis techniques is expected to play a major role in the creation of designs that lead to rubber with extremely low energy loss, tough rubber and in the development of rubber products with new functions.

4.2 Material development

Oil resources are essential to the production of synthetic rubber. However, the finite supply of oil and other fossil fuels raises concerns about the future depletion of these essential resources. Many rubber products also require the use of metals, such as steel, copper, and zinc, but the Earth's metal deposits are another finite resource, which adds to the concerns about future depletion of core raw materials. These concerns are fueling stud-

Fig.8 A molecular dynamics simulation model of rubber included several nano particles.

Fig.9^[5] Illustration of simulation technology showing vertical flow structure of air flow around a rolling tire and acoustic waves caused by that flow.

ies about manufacturing rubber products from sustainable resources as well as the study of material recycling methods. Sustainable resources include, for example, resources that are produced from plants, such as natural rubber. Studies on the replacement of synthetic rubber with natural rubber and petroleum-based softening agents with vegetable oils are now underway. Research into making synthetic rubber from plants is also being actively pursued. Alternative methods for obtaining stable supplies of butadiene have been proposed, including producing butadiene from ethanol obtained by the fermentation of corn stalks and sugar cane husks and directly producing butadiene from cellulose using a newly developed catalyst. Unlike butadiene, however, isoprene cannot easily be industrially synthesized using a catalyst. This has led to a proposal to utilize the metabolic pathways of plants and microorganisms and synthesize isoprene from a biomass^[6].

4.3 Manufacturing supported by application of Information and Communication Technology (ICT)

Rubber product manufacturing processes feature a wide variety of sensors mounted on production equipment. These sensors enable measurement and data acquisition. The stocks of components between processes are also managed using another data. Production-line equipments are increasingly being connected via the Internet of Things (IoT). Production lines are not the only area where the IoT is being used. Companies can obtain data by attaching sensors to products, providing them with valuable customer information. This information can then be used in marketing activities. In addition, linking factories and sales offices will make it easier for companies to draw up production plans and manage inventories. Data accumulated in this way is called “big data” in reference to its huge volume. Because processing of big data is complicated, companies are considering applying Artificial Intelligence (AI) to this task.

Such application of ICT is sure to bring about big changes in the area of technology development. For example, in Japan, which is seeing its workforce shrink as its population grows older and its birthrate declines, productivity improvement is a key issue. These trends are likely to give rise to new needs and new markets. The use of ICT to meet these new challenges and needs will help companies find solutions in a quick and timely manner. Companies are already beginning to use big data to support various endeavors, but corporate management’s wherewithal for fully utilizing ICT varies with company size, leading to concerns that the failure to use big data could lead to growing disparities among Japanese companies. This issue is one that also concerns the JRMA.

5. Conclusions

Although Japan’s rubber consumption is declining, global rubber consumption is on an upward trend. Based on the global trend, the rubber industry should continue to develop and expand in the future. Japanese companies are also globalizing, making cooperation with other nations around the world more and more important. Among the many challenges facing the rubber industry, finding solutions to environmental issues is the most urgent task the industry must deal with if it is to achieve sound development going forward. The JRMA will continue to support the development of technologies that help resolve environmental issues as it seeks to contribute to improving the environment not just in Japan but in neighboring nations as well. Technological innovation is also essential to the continued existence and development of the rubber industry. The JRMA will continue to support the development of innovative technologies, such as the use of ICT. The JRMA hopes that this International Rubber Conference (IRC) will serve as a launching pad for such technological innovations.

References

- [1] International Rubber Study Group, Rubber Statistical Bulletin 2016 April-June.
- [2] Intergovernmental Panel on Climate Change 5th Assessment Report of Working Group I, Fig. SPM. 10, 2013.
- [3] Intergovernmental Panel on Climate Change 5th Assessment Report of Working Group I, B.4, 2013.
- [4] Amino, N: *Journal of the Society of Rubber Science and Technology, Japan*, **88**, 37-42 (2015)
- [5] Abe, Y., Nonomura, T., Kondo, K., Iida, D., Watanabe, T., Ikeda, T., Koishi, M., Yamamoto, M., Fujii, K., Proceedings of 28th CFD Symposium 17-19 December 2013, A10-2, Nagoya University, Japan
- [6] Riken News, No.421, p.10-13, 2016

*

*

*

*

*