EDITORIAL

Laser Therapy is on the march! As always with a Pilot Issue, a great many of the teething problems have been ironed out, or at least identified, and now with Volume 1 Number 1 we are ready to go. The influx of papers has been very good, but we need even more: naturally the standard of the content as well as the presentation must be of the same high level as the papers in both the Pilot Issue and this one.

The sub-title of the Journal is *An International Journal of Low Reactive Laser Therapy and Photo-bioactivation*. The laser bioactive field is vast, and covers not only clinical studies in the total range of human medicine, but also veterinary surgery and research, and laser botanical studies. This is a really wide ranging field, and I would like to encourage all workers in the field to submit papers, not just of a clinical nature, but also of an experimental investigative type.

I must admit we will be looking more for *in vivo* papers at first. The 'whole body' systemic consideration is, in my opinion, most important in low reactive level laser therapy (LLLT). Some excellent *in vitro* cellular level studies may have missed the point that the reaction at a cellular level is often modified by the surrounding living tissue, in turn controlled by the brain, the 'mother computer'. Accordingly the effect at an *in vitro* cellular level may not duplicate the effect of an *in vivo* irradiation. This does not mean that I think *in vitro* studies are not valuable: on the contrary they are an invaluable way of eliciting at a cellular and subcellular level the possible mechanisms of LLLT/tissue interaction: it is only the interpretation of the results that sometimes confuses the issue.

The emerging laser biotechnological field is very interesting, with studies on subcellular components such as DNA and RNA in laser biogenetics, and the new exciting area of biophotonics, the study of the reaction of individual photons with cellular and subcellular organelles. These papers too are actively requested for *Laser Therapy*. The ultimate criterion for the success of a new journal is not just the quality of the papers: that can and will be rigidly controlled by careful peer review: the quantity of papers is also important, as this allows the editorial office a lot of scope in arranging issues with the maximum coherency and maximum interest to all readers.

Elsewhere in this issue you will find a report on the formation of a new laser society, the International Laser Therapy Association, ILTA. I feel that the ILTA will be of interest to all readers of

this journal. The Association was formed in London last July, during the excellent 'Laser '88' meetings so well coordinated by John Carruth of Southampton, U.K., and his hard-worked staff. This International Association has coincided with the emergence of national societies for LLLT, including German and Japanese societies. Taiwan, China, Indonesia and Australia are fast following suit, with plans for a U.K. and a European society also now being discussed. Taken all together, the momentum for an International Association is certainly building up. At the London ILTA inaugural meeting, it was suggested that the Association consider approaching John Wiley, to use this journal as the official journal of the ILTA. Initial overtures have been made, and once the Association has been legally formed, with Articles of Association and a Registered Office, then further, final discussions will take place. For full details on the ILTA, please see the related article in this issue.

Finally, *terminology* in LLLT was the main subject of the editorial in the Pilot Issue. It is such an important subject that I would like to go over some of the arguments again. In the literature, such terms as 'low energy', 'low power', 'cool', 'cold', 'soft', and 'mid' are used to describe the systems used in laser 'biostimulation', 'bioregulation', and 'biomodulation'. None of the 'machine' terminology actually takes into account the *effect* of the laser therapy (as distinct to laser surgery). The reaction in tissue following irradiation with laser can be divided into photodestructive, and photobioactive. In the first case, the level of reaction in tissue is above the threshold of irreversible damage. This damage may be thermal or nonthermal in nature. I refer to this as 'High reactive Level Laser Treatment', or HLLT. Note that it describes the reaction between laser energy and tissue, and does not deal with the hardware. If the level of reaction in tissue is nondestructive and completely reversible, then I refer to that as 'Low reactive Level Laser Therapy', or LLLT. That is the logo of *Laser Therapy*. Rather than 'biostimulation', which implies an increase in activity following a stimulus, I prefer the term 'bioactivation', since LLLT has been shown to work well in both hyper- and hypometabolic conditions. I feel that a universal terminology will help to establish the *bona fide* of laser therapy, and by letting us know your feelings, you will help to ensure an agreed terminology which can only strengthen the impact of LLLT on the 'legitimate' medical and scientific community.

Toshio Ohshiro