ジキアアラメ群集については伊豆下田湾を、ヒトエグサーカヤモノリ群集については熊野灘阿曾湾をそれぞれ提案した。続いて海藻群落保護の施策について私見を述べた。すなわち自然公園法、文化財保

護法、水質保全法、油による海水汚濁の防止国際条約、海中公園、海藻群落の自然保護運動等について検討と希望を記した。

書 評

Meusel, H., E. Jäger und E. Weinert:
Vergleichende Chorologie der Zentral-
europäischen Flora. Gustav Fischer
Verlag, Jena, 1965. DM 295.-

Meusel (1943) の Vergleichende Arealkunde の見解を発達させて中部ヨーロッパの維管束植物全種類の全世界の分布を図示し解説している。Hegi や Hulten の業績が根底をなす上、日本の細川をふくむ約 60 の各国の学者が協力している。

I, 領域の考察・区分には 48 ページを費し、図示の原則につき、分類学上、植物地理学、図示法の点から論じ、領域記述上の判断、フロラ要素に対する領域の所属におよんでいる。II, ユーラシア熱帯以外のフロラ地域、フロラ地区については、周極、周北、中部ヨーロッパ、マカロネシア地中海、ポレチア、中央シベリア・モンゴリア・ダウリア、近東ツラン、サハラ・インド、中央アジア、日華、ヒマラヤにわけ、付録として熱帯アジア・アフリカにわけて論じている。III, 科おける領域形として、維管束植物の各科、必要に応じては属まで立入って論じ、

これに 188 ページをあてている。IV, 172 ページにわたり図示された種に対して簡略な式で分布型をあらわしている。たとえばトクサ属に対しては austr Am + Afr—trop—stro disj.—m—arct circ-pol (南米 + アフリカ—熱帯—亜熱帯 不連続分布—暖帯—北極周極の意味)。スギナに対しては m—^(mo) sm—arct circpol 暖 帯—亜暖帯—北極 周極 (山地の一部) 分布の意) のごとく略記している。V, 図の説明としては、集録された種に対して、分類群の範囲、分類上の位置、変異性、図示上の難点、産地の密度、滅消した分布。原稿に集録されなかった最近の文献。従来発表されている関係の図。作成協力者、修正協力者名があげられている。文献は本文末 27 ページ、かくて本文は 583 ページで終わっている。

図編は 295 ページ。各ページに 4 図をおさめ、分布型により周極的、ユーラシア的、全世界的な灰色の白地図に暗褐色で分布が示され、巻末には地球上、ユーラシア、ヨーロッパそれぞれの分布区系界が図示されている。分布学上の一大金字塔というべきであろう。(鈴木時夫)

雑 録

1966 年 9 月 3 日の太平洋学術会議総会で、植物学について下記の決議案が採択されました。

RESOLUTIONS

Adopted at the 11th Pacific Congress on September 3, 1966.

3. Botany

3.1. The Congress recognizes the great use of fertilizers for agriculture but notes with concern the increasing use of pesticides and the continuing use of streams for

sewage disposal which leads to surplus nutrients and/or pesticides being washed into rivers and impounded waters with detrimental effects on their ecosystems.

3.2. RESOLVED to recommend that all concerned with aerial spraying of herbicides and pesticides should exercise more care than at present and to recommend as a matter of normal practice the establishment of narrow buffer forest or native vegetation zones around lakes and their source streams as a means of restricting surplus runoff into impounded water.

3.3. It is becoming of increasing importance to exchange living material internationally for pure scientific research, but present plant quarantine regulations are often unduly combersome and restrictive.

3.4. RESOLVED that the governments of all member countries of the Pacific Science Association be advised to reconsider their plant particularly mycologists and microbiologists, adopt formal regulations and give directions to their quarantine officers which will provide both adequate protection for the country and facilitate interchange of materials for scientific research.

3.5. Most nonlaboratory botanical research and even some laboratory research is dependent on the continued existence of naturally occurring wild plants in their natural habitats and the full diversity of the plant world is essential for an adequate understanding of plant biology and ecology. Few plants will long continue to exist after their habitats disappear, and this is a particularly urgent problem in respect to small islands.

3.6. RESOLVED that every effort should be made now by international, governmental, and private organizations to protect in natural areas sufficient and adequately distributed samples of each existing ecological type to ensure the survival under natural conditions of all their existing plant species and varieties, and

3.7. RESOLVED that international, governmental, and private organizations should now ascribe prime importance to the encouragement of descriptive studies of such natural ecosystems in order that information essential to advancement of the understanding of natural science not be irrevocably lost.

3.8. With respect to 3.6. and 3.7., attention is called to the desirability of cooperation with the International Biological Programme (Conservation Terrestrial).

訂 正

本誌 79 巻 936 号および 938 号に係の不注意から次の誤りがありました。お詫びをして訂正いたします。

Errata

1. Eizi Ogata: Photosynthesis in *Porphyra tenera* and Some Other Marine Algae as Affected by Tris(hydroxymethyl)aminomethane in Artificial Media. Bot. Mag. Tokyo 79 (936): 271-282 (1966).

page	line	for	read
271	13	enhanced	enhanced
272	24	indicate	indicates
”	28	changes	change
277	3	behavior	behaviors
279	9	hithero	hitherto
281	6	rate	rates
”	11	effect	effects
”	27	probably due	probably be due

2. 79 巻 938 号 434-436 ページ抄録, Tanaka, K.: The Pollen Germination and Pollen Tube Development in *Pinus densiflora* Sieb. et Zucc. VIII.

434 ページ右カラム

下から 17 行目 あらかじめ温室においてから

” 9 行目 あらかじめ温室においてから

” 6 行目 温室前処理したもの

同じく 435 ページ左カラム

上から 2 行目 温室前処理してから

” 8 行目 また温室前処理の効果は

以上 5 箇所の温はいずれも湿の誤りです。