Letter to the Editor

Reply:

We are grateful for the interest of Dr. Aoyagi in our article. We think that initial computed tomography of our case showed no signs of intracranial bleeding, and the variations of density that Dr. Aoyagi pointed out are artifacts. It goes without saying that intracranial bleeding is a contraindication of thrombolysis for acute ischemic stroke. We would like to emphasize in our article that it is possible that the patient with acute ischemic stroke had suffered head trauma at the onset, and late onset of

intracranial hemorrhage is one of the pitfalls of thrombolysis.

Toshinari MEGURO, M.D.
Department of Neurosurgery
Hiroshima City Hospital
Hiroshima, Japan

Article under discussion

Neurol Med Chir (Tokyo) 45, 627 ~ 630, 2005

Acute Subdural Hematoma After Intra-arterial Thrombolysis for Acute Ischemic Stroke —Case Report—

Toshinari MEGURO, Hisato HIGASHI, and Ken NISHIMOTO

Department of Neurological Surgery, Sumitomo Besshi Hospital, Niihama, Ehime

Abstract

A 79-year-old man with a cardiac pacemaker for bradycardia fell down and presented with sudden onset of right hemiplegia and aphasia. Initial computed tomography (CT) showed no cerebral infarction but angiography revealed occlusion of the left middle cerebral artery (MCA). Local intra-arterial thrombolysis with tissue plasminogen activator (tPA; tisokinase, 1,600,000 units) was performed 3 hours after the onset, and the MCA was partially recanalized. Further administration of tPA was suspended because of nosebleed. However, the patient's neurological findings did not improve. His consciousness gradually deteriorated to coma and quadriplegia with dilation of the left pupil 2.5 hours after thrombolysis. CT disclosed marked mass effect with a left acute subdural hematoma and a small intracerebral hematoma in the left frontal lobe. He underwent urgent craniotomy and removal of the subdural hematoma. The subdural hematoma originated in a frontal cerebral contusion. He died of severe brain edema 2 days after surgery. Acute subdural hematoma is a very rare complication of intra-arterial thrombolysis. Presumably he had suffered head trauma at the first onset. Evidence of head trauma should be considered a contraindication for the use of thrombolytic agents in a patient with acute stroke.