第 111 回英国薬学大会, ノッティングラム 1974

川 島 嘉 明*

Yoshiaki Kawashima

研究発表講演会場の Maths/Physics Building.

第 111 回英国薬学大会が, 1974 年 9 月 1 日から 6 日の 6 日間にわたり, ノッティングラム大学 (ノッティングラム) において開催された。プログラムは, 研究発表講演を中心に, 特別 (授賞) 講演, シンポジウム, 討論会, 薬剤師会, 展示会などであった。研究発表論文には, Communication と Full paper の 2 種があり, Fullpaper は 7 ヶ月前に締め切られ, 会誌 (J. Pharm. Pharmac.) への投稿論文として取り扱われていた。Communication は決められた字数以内で, 一般論文の体裁を整えていなければならない, Results に具体的なデータが含まれていること, Reference をつけることなどが規定されていた。論文総数は 100 編で, 主に物理化学系と生物化学系の 2 グループに分れ, 発表 10 分, 討論 5 分のペースで 2 日半で消化された。発表内容と時間の配分, スライドの作り方で規定されていて, 聴衆にわからせる配慮がなされていた。また, 研究発表は途中でも時間延長が許されないし, ジョークと手厳しいコメントとでわいた討論が, しばしば 5 分を短いものにしたが打ち切られ, プログラムの進行はきわめて円滑であった。プログラムの進行状況, 会場案内や整理にテレビが使われ, 会全体の流れも

スムーズであった。

私が出席した粉体を中心とした製剤 (工) 学分野の研究発表を主な内容によって分類すると次のようであった。

I. 粉体特性とその測定法 (23 件)

粒子径と分布 (3), 流動・摩擦特性 (4), 粒子集合組織体 (錠剤) の破壊および崩壊 (6), 溶解 (速) 度 (10)

II. 単位操作 (10 件)

乾燥 (2), 造粒 (2), 打錠 (4), コーティング (2)

III. 分散系の物性 (安定性, レオロジー) (7 件)

固体-液体体系 (サスペンション) (2), 液体-液体体系 (乳剤) (5)

粉体の特性に関する研究中, 溶解 (速) 度に関する研究が薬物の生体内吸収に関係することもあり, もっとも大きなウェイトを占め, 薬学分野の特徴を表わしていた。その主要テーマは, 錠剤の溶解速度実験装置 (カラム型) の開発 (Groves, et al.), 溶解 (速) 度増大を目的とした, ミクロな物理化学的手法 (polymorphic form, solid dispersions, complex formation) による剤型開発 (Summers, Collett et al.), 物質移動モデルとその kinetics や熱力学 (Grant, Carless, et al.), カプセルからの溶出や, 錠剤の崩壊と溶出速度との関係などであった。粉体の流動および摩擦特性について, 系統的研究を続けている Pilpel et al. は, 今回も種々の薬剤粉末について綿密な実験結果を報告していた。乾燥プロカインペニシリン粉体の付着力および張力と粒子径および粒子形 (種々の溶媒から再結晶して得る) との関係, せん断および引張り実験から明らかにした。すなわち, C/T (C , 付着力 ($\text{g} \cdot \text{cm}^{-2}$), T , 張力 ($\text{g} \cdot \text{cm}^{-2}$)) を粒子径 (V/S , 体積/表面積) と粒子形状係数の関数で表わした。実際に製薬工業で用いられている混合薬剤粉末の摩擦特性を, 2 成分および 3 成分のモデル混合粉体についての実験式でかなりの精度で (誤差 $\pm 25\%$ 以内) 推定できることも示した。また, 同様な実験から, オキシテトラサイクリンの

昭和49年12月27日受理

* 岐阜薬科大学 製剤学教室 (〒502 岐阜市三田洞492-36)
TEL 0582-37-3931

ノッティンガム大学のシンボル Trent Building

ロンドンノッティンガム間の車窓からの田園風景

打錠用微小顆粒(湿式法, 径 4.8μ) の付着力, 内部摩擦角を求めた。さらに, 摩擦特性が, 水分および含有アラビアゴム(結合剤)濃度と比例関係にあることを見出し, これらのパラメーターと粒子間結合力との関係について考察を加えた。錠剤の破壊強度については, 錠剤表面の硬度和弾性を測定し, 直接打錠良否との相関(Aulton et al.)を論じたり, 結合剤の錠剤および顆粒強度に及ぼす影響(Shotton et al.)や, 錠剤(特にもろい)の破壊強度のばらつきに関する研究(Newton et al.)などが報告された。粒度測定に関する研究では, 遠心沈降光透過法の改良(レーザー光線を使用し, ストークス径, 0.018μ まで検出可能)(Groves)や, 吸入剤の薬効とその粒度との関係に関する研究(Hallworth)などがあった。

単位操作に関する研究の内, スケールアップに関する研究は, Campy et al. の流動層造粒1件のみで, ほかはすべて基礎研究であった。打錠操作に関する研究で,

ノッティンガム城より市街を望む

ノッティンガムの古い街並み

Rubinstein は, リン酸カルシウムと硫酸バリウムの混合粉体(90:10)錠剤(径 3.2 mm)をショ糖顆粒とともに臼(径 2.54 cm)内に種々の位置で充てん, 圧縮しX線撮影を行なった。脱圧後, 水でショ糖を溶解除去し, 回収錠剤の径と厚さを測定, 圧縮中の値と比較した。その結果から, 圧縮時, 臼内の小錠剤が弾性変形から塑性変形に移る臨界打錠圧を見つけた。Shotton et al. は加水分解ゼラチンの添加により, パラセタモールとフェナセチンの打錠性が向上することを見つけ, 結合剤の capping 防止効果と圧力の伝達機構との関係について考察した。そのほか, 粒子の比表面積と, その圧縮錠剤の物性との関係や, 錠剤の内部構造を3次元的に明らかにするために, 2次元の切片を作り, 観察し組み立てる方法(Crawford)が紹介された。3, 4年程前から, 湿潤顆粒の乾燥現象解明に取り組んでいる Ridgway は, 乾燥中の顆粒内の結合剤溶液の分布状態が, 乾燥顆粒の強度と密接な関係にあることを示した。造粒関係で, Kawashima & Capes は, N. R. C. で開発されたサスペンションからの spherical agglomeration 技術の適用範囲を薬学分野にも広げるべく, 微粉体(炭酸カルシウム)でモデル実験を行なった。コーティングに関する研究で, フィルムコ

ーティング錠剤表面のピンホールの有無や仕上り度を調べるのに、水銀圧入法を応用した例 (Rowe & Forse) や、錠剤用の結合剤フィルムの強度に関する実験が報告された。

分散系の物性では、界面活性剤のサスペンションのゼータ電位に及ぼす影響と、カーボポールゲルのレオロジーのほかは、すべてエマルションに関する研究が発表された。エマルション中の界面活性剤分子の親水基の数とか、疎水期の長さが臨界ミセル濃度 (Barry & Wilson) や構造、レオロジー (Eccleston) に及ぼす影響が検討された。エマルションの転相温度 (Enever) やCMC (Kayes) の測定を粘度測定法で行ない、その精度が従来の方法に匹敵することや、転相温度とエマルションの安定性との関係が報告された。

シンポジウムが「経口投与のための医薬品デザイン」というテーマで開かれた。臨床、物理化学 (製剤学)、生物化学と異なる分野のスペシャリスト 3 人が同じタイトル

で講演をし、質問にもおのおの異なった視点から答えるという形式は面白かった。自然、種々の分野の聴衆が集まり、演者達との間に活発なやりとりがあり、味わい深かった。討論会、薬剤師会については不参加でよくわからなかった。展示会には見るべき物がなかった。

日本の年会などと比べると、規模が小さいが、コーヒブレークもたっぷりと正確にとられたように、演題数のわりに時間が十分にあり、全体に良く組織され (大学のレジデンスやホテル、会場間の足の確保なども) まとまった印象を受けた。U.S., 西欧諸国から研究者が集まるので、国際的な学会となり、反響や情報の伝達が早く、交換も活発であった。毎夜レセプションが行なわれたが、Dr. Matthews と Dr. Higuchi、それに私とで日本トリオを作った Oversea レセプションは、とりわけ楽しく印象深かった。

次に、粉体を中心とした製剤 (工) 学関係の演題および演者名をプログラムから抜粋し掲げた。

BRITISH PHARMACEUTICAL CONFERENCE

NOTTINGHAM September 2-6, 1974

Science Papers and Communications

MONDAY September 2, 2.15 pm

CONFERENCE SCIENCE AWARD LECTURE

B. W. Barry: Colloid Science in Pharmaceutical Research

Session 1 Group A 3.20 pm Monday

E. T. Cole, P. H. Elworthy, H. Sucker: Determination of the flow properties of powders by means of a flow balance

N. Pilpel, C. A. Walton: The effect of particle size and shape on the flow and failure properties of procaine penicillin powders

S. Kocova el Arini, N. Pilpel: Shearing and tensile tests on mixtures of pharmaceutical powders

B. M. Hunter: The effect of the specific surface area of primidone on its tableting properties

R. A. Crawford: A preparative technique for studying the structure of compacts

M. E. Aulton, H. G. Tebby, P. J. P. White: Indentation hardness testing of tablets

J. M. Newton, P. Stanley: The characteristics of the mechanical strength of tablets

R. C. Rowe, S. F. Forse: A preliminary evaluation of a mercury intrusion method for assessing film continuity on coated tablets

Group B 3.20 pm Monday

Y. Kawashima, C. E. Capes: Kinetics of microagglomeration in liquid suspension

TUESDAY September 3, 9.15 am Session 2

GROUP A 9.15 am Tuesday

M. H. Rubenstein, K. Ridgway : Solute migration during granule drying
 D. M. Travers : Intragranular solute migration in a test granulation dried by fluidisation and vacuum tumbler drying
 D. Campy, T. Eaves, E. M. Grudzinski, E. E. C. Worthington : Scale up considerations in fluidized bed granulation: air flow rates and air pressure distribution
 J. M. N. Gillan, D. M. Hunter : Particle size obtained on disintegration of phenylbutazone tablets and its relation to dissolution rate
 M. J. Groves, H. D. Yalabik : Size analysis of sub-micron particles by centrifugal photosedimentometer
 M. J. Groves, M. H. Alkan, M. A. Deer : Design and evaluation of a column-type dissolution apparatus
 G. W. Hallworth, P. Barnes : The use of an image analyser to determine the particle size distribution of salbutamol for use in metered dose inhalation aerosols
 S. H. Curry, A. J. Taylor, S. Evans, S. Godfrey, E. Zeidefard : Disposition of disodium cromoglycate administered in three particle sizes
 * denotes full paper

GROUP B 9.15 am Tuesday

M. P. Summers, R. P. Enever : Investigations of solid dispersions of primidone in citric acid
 J. H. Collett, G. Kesteven : Some effect of polyvinylpyrrolidone on the solubility and dissolution rate of allopurinol
 J. E. Carless, D. Jordan : The dissolution kinetics of sulphathiazole form 1
 J. E. Carless, D. Jordan : The thermodynamic properties of sulphathiazole
 D. W. Parry, D. I. D. El Eini : Thermodynamic parameters for the solubilization of some steroids by nonionic surfactants
 D. J. W. Grant, J. V. Fee : A method of testing the applicability of the diffusion layer dissolution model
 D. W. J. Grant, J. M. Newton, J. V. Fee : Removal of hydrophobic surface coatings from a non-disintegrating

GROUP C 9.15 am Tuesday

J. A. J. Robinson, I. W. Kellaway, C. Marriott : The effect of blending on the physical properties of acid and alkaline gelatin gels
 J. M. Newton, F. N. Razzo : The influence of additives on the *in vitro* release of drugs from hard gelatin capsules

TUESDAY September 3, 2.15 pm Session 3

GROUP B 2.15 pm Tuesday

M. H. Rubinstein : Granule consolidation during compaction
 M. H. Rubinstein, D. M. Bodey : Disaggregation of compressed tablets
 K. A. Khan, D. J. Rooke : Evaluation of some tablet disintegrants and the effect of disintegrant type on the dissolution efficiency/compressional force relationship
 J. N. C. Healey, M. H. Rubinstein, V. Walters : The mechanical properties of some binders used in tableting
 E. Shotton, N. J. Edwards : The effects of binding agents on granule strength and tablet strength
 S. Esezobo, N. Pilpel : The effect of moisture content and gelatin binding agent on the mechanical and failure properties of an oxytetracycline formulation
 E. Shotton, B. A. Obiorah : The use of a gelatin hydrolysate to improve compressibility of paracetamol and phenacetin

WEDNESDAY September 4, 9.15 am Session 4

GROUP B 9.15 am Wednesday

- J. T. Pearson, J. M. Smith: The effect of hydrotropic salts on the stability of liquid crystalline systems
- B. W. Barry, C. M. T. Gray: Micellar interactions of bile salts with alkyltrimethylammonium bromides
- B. W. Barry, R. Wilson: Substituted ethoxy groups in anionic surfactants; effect on cmc, area per molecule and micellar counterion binding
- J. B. Kayes: pH-Mobility plots for drug suspension systems and the effect of added surface-active agents
- D. Guveli, S. S. Davis, J. B. Kayes: Viscometric studies on surface-active agent solutions and the examination of hydrophobic interactions
- R. P. Enever: Correlation of phase inversion temperature with stability of oil-in-water emulsions stabilised by (polyoxyethylene)₄ cetyl ether
- B. W. Barry, M. C. Meyer: Viscoelastic and continuous shear properties of Carbopol gels
- G. M. Eccleston: The influence of alcohol chain length on the structure and rheology of emulsions stabilised by cetomacrogol/long chain alcohols
- C. Marriott, I. W. Kellaway: The relationship between the physical and drug release properties of polyethylene glycol bases

WEDNESDAY September 4, 2.15 pm

Discussion Forums

“Preservation of Formulated Products”

Chairman: Prof. M. R. W. Brown

Speakers: G. Sykes, Prof. D. A. Norton, H. McG. Scott

“Control of Pharmaceutical Packaging”

Chairman: Dr. B. A. Wills

Speakers: J. E. Pentelow, R. I. Felix, A. W. C. Peacock