Direct Determination of Salinity of Sea Water from Chlorine Titration.

Mituyo OKADA and Tomozirô OGAWA

(The Imperial Fisheries Institute, Tôkyô)

Salinity, S , as defined by Prof. KNUDSEN⁽¹⁾, is now customarily employed in physical oceanography to represent the total dissolved solids in sea water. It is usually converted from chlorinity, which is determined by titration after KNUDSEN's method. In order to facilitate such calculations, N. WATANABE⁽²⁾ has recently proposed the use of his nomographs. On the other hand, chemical oceanographers often prefer chlorinity to salinity for the same purpose.⁽³⁾ This is, however, mainly due to the request to avoid errors, which may arise in the unnecessarily complicated calculations, in conversion.

The present report embodies the description of a new modification of KNUDSEN's method, and a set of titration-tables newly constructed. In our method, just the same apparatus, such as 15 c.c.-Knudsen-pipette for taking samples, and same procedures, such as the use of Normal water, can be employed as in KNUDSEN's method, except the following modifications:—

(1) The reading on the burette for titration, with proper corrections, should give directly the value of salinity in ‰, instead of chlorinity.

(2) 1 c.c., instead of 2 c.c., on the burette should correspond to 1‰ in salinity.

(3) The silver-nitrate solution should be so prepared that 1 litre of distilled water dissolves 40.98 g., instead of 37.06 g., of AgNO_3 crystal.

(4) The new titration-tables should be used instead of Prof. KNUDSEN's. Correction k as listed in tables I~IV below is given by the equation:—

$$k = \left(\frac{\rho_{nt}}{\rho_{st}} \frac{S_0 - 0.030}{S_0 - \alpha} - 1 \right) a - 0.030,$$

where S_c , $S_0 - \alpha (=A)$ and ρ_{nt} are salinity, correct reading in titration and density at room temperature, $t^\circ\text{C}$, of Normal water respectively, while a is the correct reading in titration of a sample, $a+k$ giving its salinity, S , and ρ_{st} is the density of sample at $t^\circ\text{C}$. In the formula, we can put $S_0=35.00$ and $t=15$. We can substitute at first ρ_{at} , density at $t^\circ\text{C}$ of sea water having

(1) KRÜMMEL, O.: Handbuch der Ozeanographie 1, Stuttgart 1907, 222.

(2) WATANABE, N.: A simplification for calculation of the salinity of sea water from chlorine titration. This Bulletin, 7 (2), 1938, 122~124.

(3) Fifth Pan Pacific Science Congress, Canada 1933: Resolution 9. Proceedings of the Congress, 1, 1934, Append. 1, p. 381.

Table I.

$k \backslash \alpha$	100	095	090	085	080	075	070	065	060	055	050	$\alpha \backslash k$
+05	054	054	054	055	055	055	055	056	056	056	056	+05
+06	88	89	90	90	91	91	92	92	93	93	94	+06
+07	122	123	124	124	125	126	127	128	129	130	130	+07
+08	61	62	63	64	65	67	68	70	71	72	73	+08
+09	202	203	204	205	207	208	209	210	211	213	214	+09
+10	41	43	45	46	47	49	50	52	54	55	57	+10
+11	82	83	85	87	89	91	93	94	96	98	300	+11
+12	324	326	328	330	332	334	336	338	340	343	345	+12
+13	67	69	71	74	76	79	81	83	86	89	90	+13
+14	411	414	417	419	422	425	428	431	434	437	440	+14
+15	57	60	63	66	69	73	76	79	82	86	90	+15
+16	504	507	510	515	518	522	526	530	534	538	542	+16
+17	52	57	61	65	70	75	79	83	88	92	97	+17
+18	604	609	613	618	623	627	633	638	644	649	655	+18
+19	57	63	68	73	79	85	91	97	703	709	715	+19
+20	713	719	725	731	738	745	751	758	765	772	780	+20
+21	72	79	85	93	800	808	816	824	831	840	847	+21
+22	834	842	850	858	867	876	885	894	903	913	925	+22
+23	900	910	920	929	939	949	960	971	982	994	1008	+23
+24	71	83	94	1005	1017	1030	1043	1056	1069	1084	100	+24
+25	1049	1063	1076	1089	104	119	135	151	169	187	210	+25
+26	136	152	168	185	204	224	244	264	283	314	346	+26
+27	234	254	275	297	322	350	380	411	449	493	556	+27
+28	353	380	410	440	482	528	586	679				+28
+29	508	553	613	696								+29
+30	2211	2146	2068	960								+30
+31	368	319	271	2221	2163	2093	2015	905				+31
+32	488	449	409	367	325	276	228	2177	2118	2058	970	+32
+33	588	553	516	482	444	405	365	326	281	238	2186	+33
+34	676	644	610	580	545	510	476	440	402	367	322	+34
+35	756	726	695	666	633	602	569	537	504	473	433	+35
+36	829	800	772	744	714	684	654	625	594	564	530	+36
+37	98	69	842	816	788	759	731	702	673	645	613	+37
+38	963	936	908	883	856	829	801	775	747	721	691	+38
+39	3022	96	70	947	920	94	69	842	816	792	762	+39
+40	80	3055	3030	3006	82	955	931	906	81	856	827	+40
+41	135	111	86	64	3038	3014	89	66	942	918	91	+41
+42	87	64	140	118	94	70	3046	3022	99	76	950	+42
+43	239	216	93	70	147	124	101	78	3055	3033	3007	+43
+44	87	64	242	220	97	75	63	130	108	86	61	+44
+45	14	335	312	91	69	247	225	98	81	59	137	+45
+46	81	59	337	316	95	73	251	230	209	87	64	+46
+47	426	404	84	62	341	319	98	77	56	235	212	+47
+48	69	48	427	407	85	65	343	323	302	81	58	+48
+49	512	91	70	50	429	408	87	67	46	326	303	+49
+50	53	432	511	92	71	51	430	411	90	70	48	+50
+51	93	73	53	533	513	92	71	52	433	413	92	+51
+52	633	613	93	73	53	533	513	94	74	55	433	+52
+53	72	51	632	613	92	72	53	534	514	94	74	+53
+54	709	91	70	51	631	612	92	72	54	534	514	+54
+55	46	726	707	89	69	49	631	612	92	74	54	+55
+56	82	63	44	726	707	88	69	50	631	612	91	+56
+57	818	800	80	61	42	723	705	86	67	49	629	+57
+58	54	34	815	97	78	60	41	723	705	86	66	+58
+59	88	69	51	833	813	95	76	58	40	722	702	+59
+60	923	905	87	68	48	830	811	93	75	57	38	+60
+61	55	37	919	901	83	64	45	827	809	92	72	+61
+62	88	70	51	34	916	898	79	62	45	827	807	+62
+63	4020	4003	85	67	49	930	912	96	78	60	40	+63
+64	53	34	4017	99	81	64	45	928	911	93	74	+64
+65	83	66	48	4030	4013	95	77	61	44	926	906	+65
+66	115	98	80	63	45	4027	4010	94	76	58	38	+66
+67	46	127	110	93	76	69	40	4024	4007	89	71	+67
+68	59	40	124	107	89	71	54	37	4020	4001	33	+68
+69			54	36	119	102	86	69	51	33	11	+69
+70												+70
+71												+71
+72												+72
+73												+73
+74												+74
+75												+75
+76												+76
+77												+77
+78												+78
+79												+79
+80												+80
+81												+81
+82												+82
+83												+83
+84												+84
+85												+85
+86												+86
+87												+87
+88												+88
+89												+89
+90												+90
+91												+91
+92												+92
+93												+93
+94												+94
+95												+95
+96												+96
+97												+97
+98												+98
+99												+99
+100												+100
-01												-01
-02												-02
-03												-03
-04												-04
-05												-05
-06												-06
-07												-07
-08												-08
-09												-09
-10												-10
-11												-11
-12												-12
-13												-13
-14												-14
-15												-15
$k \backslash \alpha$	100	095	090	085	080	075	070	065	060	055	050	$\alpha \backslash k$

Table II.

k	α	.050	.045	.040	.035	.030	.025	.020	.015	.010	.005	.000	α	k
+.05		0.56	0.56	0.56	0.56	0.57	0.57	0.57	0.58	0.58	0.58	0.58		+.05
+.06		.94	.94	.95	.95	.96	.96	.97	.98	.98	.99	1.00		+.06
+.07		1.30	1.31	1.32	1.33	1.34	1.35	1.36	1.36	1.37	1.38	1.39		+.07
+.08		.73	.74	.77	.77	.78	.79	.80	.82	.83	.83	.85		+.08
+.09		2.14	2.16	2.17	2.18	2.20	2.21	2.23	2.24	2.26	2.27	2.29		+.09
+.10		.57	.58	.60	.62	.63	.65	.67	.68	.70	.72	.75		+.10
+.11		3.00	3.03	3.04	3.06	3.08	3.10	3.13	3.14	3.16	3.19	3.22		+.11
+.12		.45	.47	.49	.52	.55	.58	.60	.62	.65	.68	.71		+.12
+.13		.90	.93	.96	3.98	4.03	4.06	4.09	4.12	4.15	4.18	4.22		+.13
+.14		4.40	4.43	4.46	4.50	.53	.56	.60	.64	.67	.71	.76		+.14
+.15		.90	.94	.98	5.02	5.06	5.09	5.14	5.18	5.22	5.26	5.32		+.15
+.16		5.42	5.47	5.52	.56	.60	.65	.70	.74	.79	.84	.91		+.16
+.17		.97	6.02	6.08	6.13	6.19	6.24	6.29	6.35	6.40	6.46	6.53		+.17
+.18		6.55	.60	.66	.72	.78	.84	.91	.97	7.05	7.11	7.19		+.18
+.19		7.15	7.22	7.29	7.36	7.43	7.51	7.58	7.66	.74	.81	.91		+.19
+.20		.80	.88	.95	8.04	8.12	8.21	8.30	8.38	8.48	8.57	8.65		+.20
+.21		8.47	8.58	8.67	.77	.87	.98	9.09	9.19	9.30	9.42	9.54		+.21
+.22		9.25	9.36	9.47	9.59	9.72	9.84	.96	10.10	10.24	10.38	10.53		+.22
+.23		10.08	10.20	10.34	10.48	10.63	10.78	10.95	1.11	1.30	1.50	1.73		+.23
+.24		1.00	1.16	1.33	1.52	1.71	1.93	2.16	2.40	2.66	2.96	3.32		+.24
+.25		2.10	2.31	2.53	2.79	3.07	3.39	3.76	4.18	4.73	5.57			+.25
+.26		3.46	3.75	4.15	4.63	5.18	6.11							+.26
+.27		5.56	6.50											+.27
+.28		9.70	8.60											+.28
+.29		21.86	21.34	20.83	20.10	9.38	8.30							+.29
+.30		3.22	2.87	2.45	1.94	2.145	2.101	2.041	9.81	9.09	8.02			+.30
+.31		4.33	3.98	3.61	3.25	2.85	2.45	2.05	2.164	2.123	2.067	20.13		+.31
+.32		5.30	4.97	4.63	4.30	3.96	3.61	3.26	2.90	2.52	2.16	1.73		+.32
+.33		6.13	5.84	5.57	5.23	4.84	4.61	4.27	3.96	3.62	3.30	2.93		+.33
+.34		.91	6.62	6.36	6.05	5.77	5.47	5.17	4.88	4.57	4.27	3.95		+.34
+.35		7.62	7.37	7.10	.80	6.53	6.25	.98	5.71	5.42	5.13	4.83		+.35
+.36		8.27	8.04	.80	7.52	7.25	.98	6.71	6.45	6.18	.93	5.64		+.36
+.37		.91	.68	8.44	8.20	.92	7.65	7.40	7.15	.88	6.14	6.37		+.37
+.38		9.50	9.27	9.04	.78	8.54	8.30	8.05	.85	7.58	7.32	7.06		+.38
+.39		3.007	.84	.62	9.37	9.14	.90	.65	8.44	8.20	.94	.70		+.39
+.40		.61	30.39	30.17	.92	.71	9.48	9.23	9.02	.78	8.53	8.31		+.40
+.41		1.13	.92	.70	30.45	30.22	30.00	.77	.56	9.33	9.12	.87		+.41
+.42		.64	1.41	1.21	.97	.74	.53	30.30	30.10	.88	.67	9.44		+.42
+.43		2.12	.90	.71	1.47	1.25	1.03	.82	.61	30.40	30.19	.95		+.43
+.44		.58	2.38	2.18	.96	.75	.54	1.32	1.12	.90	.69	30.47		+.44
+.45		3.03	.84	.63	2.42	2.21	2.00	.79	.58	1.38	1.18	.96		+.45
+.46		.48	3.29	3.09	.87	.66	.46	2.25	2.05	.85	.65	1.43		+.46
+.47		.92	.72	.52	3.30	3.11	.90	.70	.50	2.30	2.10	.90		+.47
+.48		4.33	4.14	.92	.73	.54	3.34	3.14	.94	.75	.56	2.35		+.48
+.49		.74	.55	4.36	4.15	.96	.96	.57	3.37	3.17	.98	.77		+.49
+.50		5.14	.95	.77	.56	4.36	4.17	.98	.80	.60	3.41	3.20		+.50
+.51		.54	5.35	.56	.95	.76	.56	4.38	4.18	.400	.82	.61		+.51
+.52		.91	.73	.54	5.31	5.18	.98	.78	.60	.41	4.22	4.03		+.52
+.53		6.29	6.10	.92	.73	.54	5.35	5.16	.98	.80	.61	.42		+.53
+.54		.66	.47	6.30	6.10	.92	.73	.54	5.36	5.18	.500	.80		+.54
+.55		7.02	.83	.67	.47	6.30	6.11	.92	.74	.56	.38	5.19		+.55
+.56		.38	7.19	7.03	.83	.66	.48	6.28	6.12	.92	.74	.56		+.56
+.57		.72	.55	.38	7.18	7.02	.84	.63	.48	6.30	6.10	.92		+.57
+.58		8.07	.89	.73	.53	.36	7.18	.99	.83	.65	.46	6.27		+.58
+.59		.40	8.24	8.07	.87	.71	.54	7.33	7.18	.701	.81	.63		+.59
+.60		.74	.57	.40	8.20	8.04	.86	.67	.52	.34	7.16	.98		+.60
+.61		9.06	.89	.71	.54	.35	8.18	8.01	.83	.66	.49	7.31		+.61
+.62		.38	9.21	9.04	.86	.70	.52	.34	8.18	8.00	.83	.65		+.62
+.63		.71	.53	.36	9.19	9.01	.84	.66	.49	.32	8.16	.98		+.63
+.64		40.01	.85	.67	.50	.34	9.16	.99	.82	.65	.48	8.30		+.64
+.65		.33	40.16	40.00	.81	.65	.48	9.30	9.15	.98	.80	.64		+.65
+.66		.64	.47	.31	40.12	.96	.79	.62	.45	9.28	9.11	.94		+.66
+.67		.93	.76	.59	.43	40.26	.99	.92	.76	.59	.43	9.25		+.67
+.68		1.23	1.06	.89	.72	.56	.39	40.22	40.06	.89	.73	.55		+.68
+.69		.52	.37	1.19	1.03	.86	.70	.53	.37	40.20	40.03	.86		+.69
+.70		.66	.50	.33	1.16	.99	.82	.66	.50	.33	40.17	.96		+.70
+.71		.61	.42	.26	.92	.75	.58	.42	.26	.10	.84	.68		+.71
+.72		.54	.39	.24	.87	.71	.55	.39	.24	.08	.72	.56		+.72
+.73		.48	.33	.19	.81	.65	.49	.33	.18	.06	.60	.44		+.73
+.74		.42	.28	.15	.75	.59	.43	.27	.12	.04	.54	.38		+.74
+.75		.36	.23	.11	.69	.53	.37	.21	.06	.02	.48	.32		+.75
+.76		.30	.19	.09	.63	.47	.31	.15	.04	.01	.42	.26		+.76
+.77		.24	.15	.07	.57	.41	.25	.09	.03	.00	.36	.20		+.77
+.78		.18	.11	.05	.51	.35	.19	.07	.02	.00	.30	.14		+.78
+.79		.12	.07	.03	.45	.29	.13	.05	.01	.00	.24	.08		+.79
+.80		.06	.04	.02	.39	.23	.07	.03	.00	.00	.18	.02		+.80
+.81		.00	.00	.00	.33	.17	.03	.01	.00	.00	.12	.00		+.81
+.82		.00	.00	.00	.27	.11	.01	.00	.00	.00	.06	.00		+.82
+.83		.00	.00	.00	.21	.05	.00	.00	.00	.00	.00	.00		+.83
+.84		.00	.00	.00	.15	.00	.00	.00	.00	.00	.00	.00		+.84
+.85		.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00		+.85
+.86		.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00		+.86
+.87		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.87
+.88		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.88
+.89		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.89
+.90		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.90
+.91		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.91
+.92		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.92
+.93		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.93
+.94		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.94
+.95		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.95
+.96		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.96
+.97		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.97
+.98		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.98
+.99		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.99
+.00		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.00
+.01		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.01
+.02		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.02
+.03		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.03
+.04		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.04
+.05		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.05
+.06		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.06
+.07		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.07
+.08		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.08
+.09		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.09
+.10		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.10
+.11		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.11
+.12		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.12
+.13		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		+.13
+.14		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00			

Table III.

k	α	-000	-005	-010	-015	-020	-025	-030	-035	-040	-045	-050	α	k
+05		0.58	0.58	0.59	0.59	0.60	0.60	0.60	0.60	0.61	0.61	0.61		+05
+06		1.00	1.00	1.01	1.02	1.02	1.03	1.04	1.04	1.05	1.06	1.06		+06
+07		.39	.40	.41	.42	.43	.44	.45	.46	.47	.48	.49		+07
+08		.85	.86	.87	.88	.89	.90	.91	.93	.94	.95	.97		+08
		2.29	2.30	2.31	2.33	2.35	2.37	2.38	2.40	2.41	2.43	2.44		+09
+09		.75	.76	.78	.80	.82	.84	.85	.88	.90	.92	.94		+10
+10		3.22	3.23	3.25	3.28	3.30	3.33	3.35	3.38	3.40	3.43	3.46		+11
+11		.71	.73	.75	.79	.81	.84	.87	.90	.93	.96	4.00		+12
+12		4.22	4.24	4.28	4.31	4.34	4.38	4.41	4.45	4.49	4.53	.56		+13
+13		.76	.78	.82	.86	.90	.94	.98	5.02	5.07	5.12	5.16		+14
+14		5.32	5.35	5.40	5.44	5.49	5.54	5.59	.64	.69	.74	.80		+15
+15		.91	.94	6.00	6.06	6.10	6.16	6.22	6.28	6.34	6.41	6.47		+16
+16		6.53	6.58	.64	.70	.77	.84	.91	.98	7.05	7.13	7.21		+17
+17		7.19	7.26	7.33	7.41	7.48	7.60	7.64	7.73	.82	.92	8.02		+18
+18		.91	.99	8.08	8.17	8.26	8.36	8.46	8.57	8.68	8.80	.92		+19
+19		8.65	8.79	.90	9.01	9.12	9.25	9.37	9.51	9.65	9.81	9.96		+20
+20		9.54	9.68	9.80	.96	10.10	10.26	10.43	10.62	10.81	11.02	11.24		+21
+21		10.53	10.70	10.88	11.07	1.27	1.49	1.72	2.00	2.29	2.66	3.07		+22
+22		1.73	1.96	2.22	2.50	2.84	3.21	3.64	4.36	5.82				+23
+23		3.32	3.70	4.22	4.97									+24
+24		20.13	9.51	8.86	7.84									+25
+25		1.73	21.38	21.00	20.40	9.84	9.31	8.70	7.76	6.10				+26
+26		2.93	2.56	2.18	1.83	21.44	21.06	20.62	20.10	9.65				+27
+27		.21	3.95	3.62	3.29	2.96	2.61	2.27	1.93	1.58	9.10	8.51		+28
+28		.20	4.83	4.54	4.24	3.93	3.62	3.31	2.99	2.65	2.32	2.03		+29
+29		.19	5.64	5.38	5.10	4.78	4.53	4.24	3.94	3.65	3.34	3.01		+30
+30		.18	6.37	6.12	.85	.57	5.32	5.04	4.77	4.50	4.21	.91		+31
+31		.17	7.06	.80	6.54	6.28	6.02	.76	5.53	5.24	.98	4.71		+32
+32		.16	.70	7.45	7.20	.96	7.1	6.47	6.23	.97	5.71	5.44		+33
+33		.15	8.31	8.08	.85	7.60	7.37	7.13	.90	6.65	6.41	6.15		+34
+34		.14	.87	.65	8.42	8.20	8.00	.77	7.52	7.28	7.03	7.79		+35
+35		.13	9.44	9.21	.99	.76	.56	8.32	8.10	.89	6.4	7.39		+36
+36		.12	.95	.75	9.53	9.31	9.09	.88	.66	8.44	8.22	.98		+37
+37		.11	30.47	30.26	30.05	.83	.62	9.41	9.19	9.7	7.6	8.53		+38
+38		.10	.96	.75	.54	30.34	30.13	.92	.73	5.0	9.28	9.07		+39
+39		.09	1.43	1.24	1.03	.82	.62	30.41	30.22	30.00	.79	.58		+40
+40		.08	.90	.69	.49	1.30	1.08	.38	.70	.48	30.27	30.07		+41
+41		.07	2.35	2.15	.95	.75	.55	1.35	1.16	.95	.75	.55		+42
+42		.06	.77	.58	2.38	2.19	.99	.79	.61	1.40	1.20	1.00		+43
+43		.05	3.20	3.02	.82	.63	2.44	2.24	2.05	.85	.66	.45		+44
+44		.04	.61	.42	3.23	3.04	.85	.66	.48	2.27	2.08	.89		+45
+45		.03	4.03	.84	.65	.46	3.27	3.08	.89	.70	.52	2.32		+46
+46		.02	.42	4.24	4.05	.86	.68	.49	3.30	3.11	.92	.74		+47
+47		.01	.80	.62	.44	4.26	4.07	.88	.71	.51	3.32	3.14		+48
+48		.00	5.19	5.00	.83	.64	4.28	4.09	.91	.72	.54	3.39		+49
+49		.01	.56	.38	5.19	5.01	.82	.64	.48	4.28	4.10	.92		+50
+50		.02	.92	.74	.57	.39	5.20	5.02	.85	.67	.48	4.30		+51
+51		.03	6.27	6.10	.93	.75	.57	.39	5.22	5.03	.86	.67		+52
+52		.04	.63	.45	6.27	6.09	.93	.75	.58	.39	5.21	5.04		+53
+53		.05	.98	.80	.63	.45	6.29	6.11	.93	.76	.58	.40		+54
+54		.06	7.31	7.14	.97	.79	.62	.45	6.28	6.10	.93	.75		+55
+55		.07	.65	.48	7.31	7.14	.97	.80	.62	.45	6.28	6.10		+56
+56		.08	.98	.81	.64	.47	7.30	7.13	.97	.79	.62	.44		+57
+57		.09	8.30	8.13	.96	.79	.62	.46	7.29	7.12	.95	.77		+58
+58		.10	.64	.46	8.30	8.12	.96	.78	.62	.45	7.28	7.10		+59
+59		.11	.94	.77	.60	.43	8.27	8.10	.94	.77	.60	.43		+60
+60		.12	9.25	9.09	.92	.75	.59	.42	8.26	8.09	.92	.75		+61
+61		.13	.55	.38	9.22	9.06	.89	.73	.57	.40	8.23	8.07		+62
+62		.14	.86	.70	.54	.37	9.20	9.04	.88	.71	.55	.38		+63
+63		.15	40.17	40.01	.85	.67	.52	.35	9.19	9.02	.86	.69		+64
+64		.16	.46	.29	40.13	.96	.80	.64	.49	.32	9.16	.99		+65
+65		.17	.75	.58	.42	40.26	40.10	.94	.78	.61	.45	9.29		+66
+66		.18	1.02	.87	.71	.55	.38	.22	40.07	.90	.74	.58		+67
+67		.19	.33	1.17	1.01	.85	.69	.53	.37	40.21	40.05	.88		+68
+68		.20	.61	.45	.29	1.13	.97	.81	.65	.50	.34	40.17		+69
+69		.21			.57	.41	1.25	1.09	.94	.78	.62	.45		+70
+70		.22				.69	.53	.37	1.22	1.06	.90	.73		+71
+71		.23							.50	.33	1.18	1.01		+72
+72		.24												+73
+73		.25												+74
k	α	-000	-005	-010	-015	-020	-025	-030	-035	-040	-045	-050	α	k

Table IV.

k	α	-050	-055	-060	-065	-070	-075	-080	-085	-090	-095	-100	α	k
+05		0.61	0.62	0.62	0.62	0.63	0.63	0.64	0.64	0.64	0.65	0.65	+05	
+06		1.06	1.07	1.08	1.09	1.10	1.10	1.11	1.12	1.12	1.13	1.13	+06	
+07		.49	.50	.51	.52	.53	.54	.56	.57	.58	.59	.59	+07	
+08		.97	.99	2.00	2.01	2.02	2.03	2.05	2.05	2.06	2.08	2.11	+08	
+09		2.44	2.46	.47	.50	.51	.53	.55	.58	.60	.62	.64	+09	
+10		.94	.97	.99	3.01	3.03	3.05	3.08	3.10	3.13	3.15	3.17	+10	
+11		3.46	3.49	3.52	.54	.57	.60	.63	.66	.69	.72	.75	+11	
+12		4.00	4.02	4.06	4.09	4.13	4.16	4.20	4.24	4.28	4.31	4.35	+12	
+13		.56	.60	.64	.68	.72	.76	.81	.85	.90	.94	.99	+13	
+14		5.16	5.20	5.25	5.30	5.36	5.40	5.46	5.51	5.57	5.62	5.68	+14	
+15		.80	.85	.91	.97	6.02	6.08	6.15	6.22	6.28	6.35	6.42	+15	
+16		6.47	6.54	6.61	6.68	.76	.83	.91	7.00	7.08	7.16	7.25	+16	
+17		7.21	7.29	7.38	7.46	7.56	7.65	7.75	.84	.95	8.06	8.17	+17	
+18		8.02	8.10	8.20	8.32	8.44	8.57	8.68	8.81	8.94	9.09	9.24	+18	
+19		.92	9.14	9.18	9.33	9.48	9.64	9.80	9.98	10.17	10.37	10.58	+19	
+20		9.96	10.12	10.30	10.50	10.70	10.92	11.18	11.48	1.81	2.20	2.66	+20	
+21		11.24	1.49	1.78	2.09	2.46	2.90	3.46					+21	
+22		3.07	3.66	4.51									+22	
+23		8.51	7.74	6.67									+23	
+24		20.35	9.93	9.40	8.95	8.36	7.74	6.92					+24	
+25		1.65	21.30	20.91	20.53	20.12	9.72	9.27	8.79	8.29	7.74	7.08	+25	
+26		2.71	2.38	2.06	1.73	1.40	21.07	20.70	20.30	19.95	9.56	9.12	+26	
+27		3.64	3.34	3.04	2.74	2.43	2.13	1.82	1.52	21.22	20.85	20.49	+27	
+28		4.45	4.19	.91	.63	3.35	3.06	2.77	2.47	2.18	1.89	1.59	+28	
+29		5.21	.92	4.68	4.42	4.16	.88	3.61	3.34	3.06	2.79	2.53	+29	
+30		.91	5.66	5.42	5.17	.92	4.66	4.40	4.16	.90	3.64	3.38	+30	
+31		6.56	6.31	6.07	.84	5.59	5.34	5.11	.86	4.62	4.38	4.14	+31	
+32		7.19	.94	.70	6.48	6.24	6.01	.79	5.55	5.32	5.09	.85	+32	
+33		.77	7.54	7.31	7.09	.86	.63	6.41	6.18	.96	.73	5.60	+33	
+34		8.33	8.11	.90	.67	7.45	7.23	7.01	.78	6.56	6.34	6.12	+34	
+35		.87	.65	8.44	8.22	8.00	.78	.57	7.35	7.14	.93	.72	+35	
+36		9.38	9.16	.95	.75	.54	8.33	8.11	.92	.71	7.50	7.28	+36	
+37		.87	.66	9.46	9.26	9.05	.85	.64	8.44	8.23	8.03	.87	+37	
+38		30.35	30.15	.95	.75	.55	9.35	9.14	.94	.74	.54	8.34	+38	
+39		.81	.61	30.41	30.22	30.02	.83	.63	9.43	9.23	9.03	.84	+39	
+40		1.27	1.08	.88	.69	.49	30.30	30.10	.91	.72	.52	9.33	+40	
+41		.72	.51	1.32	1.14	.94	.75	.56	30.37	30.18	.98	.80	+41	
+42		2.14	.95	.76	.57	1.38	1.20	1.00	.82	.63	30.44	30.25	+42	
+43		.55	2.36	2.18	.99	.80	.62	.43	1.24	1.06	.86	.68	+43	
+44		.97	.78	.59	2.41	2.22	2.04	.85	.67	.49	1.30	1.12	+44	
+45		3.39	3.18	3.00	.81	.63	.45	2.26	2.08	.90	.72	.54	+45	
+46		.75	.56	.38	3.21	3.03	.85	.66	.49	2.30	2.13	.95	+46	
+47		4.13	.95	.77	.60	.42	3.24	3.05	.88	.70	.53	2.35	+47	
+48		.50	4.33	4.15	.97	.80	.62	.44	3.26	3.09	.92	.74	+48	
+49		.87	.69	.52	4.34	4.16	4.00	.81	.64	.46	3.29	3.12	+49	
+50		5.23	5.04	.88	.71	.54	.36	4.19	4.02	.84	.67	.50	+50	
+51		.58	.40	5.24	5.06	.89	.72	.55	.38	4.20	4.03	.86	+51	
+52		.93	.76	.58	.42	5.24	5.07	.91	.74	.56	.40	4.23	+52	
+53		6.28	6.10	.93	.76	.59	.42	5.25	5.08	.92	.75	.58	+53	
+54		.61	.44	6.27	6.10	.93	.76	.59	.42	5.25	5.08	.93	+54	
+55		.94	.78	.61	.44	6.27	6.10	.93	.76	.59	.42	5.27	+55	
+56		7.27	7.10	.94	.77	.60	.44	6.27	6.10	.94	.77	.61	+56	
+57		.59	.42	7.25	7.09	.93	.76	.59	.43	6.26	6.10	.94	+57	
+58		.90	.74	.58	.41	7.25	7.08	.91	.75	.59	.42	6.27	+58	
+59		8.22	8.06	.90	.73	.56	.40	7.24	7.08	.91	.75	.59	+59	
+60		.53	.37	8.21	8.04	.88	.71	.55	.38	7.22	7.05	.90	+60	
+61		.84	.67	.51	.35	8.19	8.02	.86	.70	.54	.38	7.22	+61	
+62		9.13	.97	.81	.65	.49	.33	8.16	8.00	.84	.68	.53	+62	
+63		.43	9.27	9.11	.94	.79	.63	.47	.31	8.15	.99	.83	+63	
+64		.72	.56	.40	9.24	9.09	.93	.77	.61	.45	8.30	8.14	+64	
+65		40.02	.86	.70	.54	.38	9.22	9.06	.91	.75	.60	.44	+65	
+66		.30	40.14	.98	.82	.66	.50	.35	9.19	9.03	.88	.72	+66	
+67		.58	.42	40.26	40.11	.96	.80	.64	.48	.33	9.18	9.02	+67	
+68		.86	.70	.55	.39	40.23	40.07	.92	.78	.62	.46	.31	+68	
+69		1.14	.98	.83	.67	.52	.36	40.20	40.05	.90	.74	.59	+69	
+70		.41	1.25	1.10	.94	.79	.63	.48	.32	40.17	40.02	.87	+70	
+71		.69	.54	.38	1.22	1.07	.92	.76	.61	.46	.30	40.15	+71	
+72				.66	.50	.34	1.19	.95	.88	.73	.57	.42	+72	
+73					.76	.61	.45	1.30	1.14	.99	.84	.69	+73	
+74								.57	.42	1.27	1.13	.98	+74	
+75													+75	
+76													+76	
+77													+77	
+78													+78	
+79													+79	
+80													+80	
+81													+81	
+82													+82	
+83													+83	
+84													+84	
+85													+85	
+86													+86	
+87													+87	
+88													+88	
+89													+89	
+90													+90	
+91													+91	
+92													+92	
+93													+93	
+94													+94	
+95													+95	
+96													+96	
+97													+97	
+98													+98	
+99													+99	
+100													+100	
-05		0.61	0.62	0.62	0.62	0.63	0.63	0.64	0.64	0.64	0.65	0.65	-05	
-06		1.06	1.07	1.08	1.09	1.10	1.10	1.11	1.12	1.12	1.13	1.13	-06	
-07		.49	.50	.51	.52	.53	.54	.56	.57	.58	.59	.59	-07	
-08		.97	.99	2.00	2.01	2.02	2.03	2.05	2.05	2.06	2.08	2.11	-08	
-09		2.44	2.46	.47	.50	.51	.53	.55	.58	.60	.62	.64	-09	
-10		.94	.97	.99	3.01	3.03	3.05	3.08	3.10	3.13	3.15	3.17	-10	
-11		3.46	3.49	3.52	.54	.57	.60	.63	.66	.69	.72	.75	-11	
-12		4.00	4.02	4.06	4.09	4.13	4.16	4.20	4.24	4.28	4.31	4.35	-12	
-13		.56	.60	.64	.68	.72	.76	.81	.85	.90	.94	.99	-13	
-14		5.16	5.20	5.25	5.30	5.36	5.40	5.46	5.51	5.57	5.62	5.68	-14	
-15		.80	.85	.91	.97	6.02	6.08	6.15	6.22	6.28	6.35	6.42	-15	
-16		6.47	6.54	6.61	6.68	.76	.83	.91	7.00	7.08	7.16	7.25	-16	
-17		7.21	7.29	7.38	7.46	7.56	7.65	7.75	.84	.95	8.06	8.17	-17	
-18		8.02	8.10	8.20	8.32	8.44	8.57	8.68	8.81	8.94	9.09	9.24	-18	
-19		.92	9.14	9.18	9.33	9.48	9.64	9.80	9.98	10.17	10.37	10.58	-19	
-20		9.96	10.12	10.30	10.50	10.70	10.92	11.18	11.48	1.81	2.20	2.66	-20	
-21		11.24	1.49	1.78	2.09	2.46	2.90	3.46					-21	
-22		3.07	3.66	4.51									-22	
-23		8.51	7.74	6.67									-23	
-24		20.35	9.93	9.40	8.95	8.36	7.74	6.92	</					

salinity of a ‰, to ρ_{st} and reach the value of k , by successive approximations.

Derivation of the formula is very simple. If N ‰ and Cl ‰ are chlorinity of Normal water and that of sample respectively, we have

$$1.8050 N = S_0 - 0.030, \quad 1.8050 Cl = S - 0.030$$

and

$$\rho_{nt}N : \rho_{st}Cl = A : a.$$

Hence,

$$\rho_{nt}(S_0 - 0.030) : \rho_{st}(a + k - 0.030) = (S_0 - \alpha) : a,$$

which leads to the equation given above.

The concentration of silver nitrate solution to be used has been calculated as follows:—35 c.c. of the solution (15°C) are required to titrate 15 c.c. of Normal water, which have chlorinity of 19.375‰ and density of 1.026 g./c.c. and consequently contain $15 \times 1.026 \times 0.019375 = 0.2982$ g. of chlorine, equivalent bromine included. The same quantity of the solution must, thus, contain $0.2982 \times \text{AgNO}_3/\text{Cl} = 1.4287$ g. of silver nitrate. Since the density of such solution is 1.036 g./c.c., 1 litre of it weighs 1036 g and contains $1.4287 \times 1000/35 = 40.82$ g. of AgNO_3 and $1036 - 40.82 = 995$ g. of water. Now, at 15°C distilled water has density of 0.999 g./c.c.. Hence, $40.82 \times 999/995 = 40.98$ g. of AgNO_3 crystal must be dissolved in 1 l. of distilled water. The calculations, given above, are referred to the temperature 15°C. The results at other temperatures do not differ much.

The relation among k , α and a may be represented in graphs just as those reported by Dr. L. MÖLLER⁽⁴⁾ for KNUDSEN's tables. Such graphs have been constructed and are now in use in our laboratory.

Tables I~IV :—New titration-tables, giving the values of a against k and α , just as in KNUDSEN's tables.

(4) MÖLLER, L.: Zur Reduktion hydrographischer Beobachtungen mit Hilfe graphischer Darstellungen der Korrekturen. Ann. d. Hydrogr. u.s.w., 61 (3), 1933, 58~60.